

RDG




RDG

ITALIANO


TIPOLOGIA	CATENA STRADALE
NOME	RDG
DESCRIZIONE	RDG (RDG = Road Dual Guard - o-ring a doppia tenuta)
CODICE	SS520RDG-XXXN - passo520- SS525RDG-XXXN - passo525- SS530RDG-XXXN -passo 530
CARATTERISTICHE TECNICHE E BENEFICI	La linea stradale di catene dotate di guarnizione per utilizzi intensi è la nostra serie RDG (RDG = Road Dual Guard - o-ring a doppia tenuta) per applicazioni con passo 520, 525 e 530. L'o-ring a doppia tenuta della Sunstar è simile alle guarnizioni "a X", perchè utilizza 2 labbra di tenuta e aree di lubrificazione per lato della guarnizione, invece di avere un labbro di tenuta solo su un lato, tipico degli o-ring standard. Questo migliora notevolmente la lubrificazione nelle condizioni di grande calore e contribuisce a diminuire l'attrito. La RDG è una catena disponibile per qualsiasi applicazione stradale. Disponibile in colore naturale, utilizza una falsa maglia da ribadire molto resistente.
O-RING	DUAL GUARD
ACCESSORI	Pignoni P-DRIVE, corone STEEL, TRIPLE STAR
CONFRONTO	

Modello catena	N. Link disponibili	Tipo oring	Falsa maglia	Max CC Street / Offroad	PESO 100LINK (LBS)	PESO 100LINK (KG)	Lunghezza pin (mm)	Spessore piastra interna	Spessore piastra esterna	Tensione massima (lbs)	Tensione massima (N)
420MXR	104 - 140	None	Clip	150 / 150	1.76	0.79	15,70	1.80	1.45	4,980	22,152
428MXR	118 - 142	None	Clip	50 / 150	2.13	0.97	17,60	1.80	1.80	5,780	25,710
520MXR1	108 - 120	None	Clip	NA / 500	2.99	1.36	17,70	1.80	2.00	8,970	39,900
520EXR1	108 - 120	Dual Guard	Rivet	NA / 450	3.23	1.46	18,35	2.00	2.00	8.390	37,300
520SSR	100 - 120	O-ring	Clip	400 / 400	3.36	1.52	19,90	2.00	2.00	7,670	34,117
520RDG	106 - 120	DualGuard	Rivet	750 / 750	3.39	1.54	19,90	2.00	2.00	8,490	37,765
525RDG	100 - 124	DualGuard	Rivet	900 / 750	4.30	1.95	22,85	2.40	2.30	8,820	39,233
530RDG	102 - 122	DualGuard	Rivet	1000 / 750	4.47	2.03	24,90	2.40	2.30	9,480	42,169
520XTG	104 - 120	TripleGuard	Clip	400 / 750	3.75	1.70	20,80	2.00	2.00	8,460	37,631
520RTG1	98 - 120	TripleGuard	Rivet	1000 / 750	3.75	1.70	20,80	2.20	2.20	8,800	39,144
525RTG1	100 - 124	TripleGuard	Rivet	1000 / 750	4.30	1.95	22,85	2.40	2.30	9,300	41,368
530RTG1	106 - 120	TripleGuard	Rivet	1400 / 900	4.63	2.10	24,90	2.40	2.40	9,900	44,037


CARATTERISTICHE DELLE CATENE SUNSTAR




DIFFERENTI TIPOLOGIE DELLE GUARNIZIONI SUNSTAR




Standard sealed chain SSR



Dual contact sealed chain EXR1



Dual contact sealed chain RDG



Triple contact sealed chain XTG - RTG1

RDG

Link	Listino catene											
	420MXR	428MXR	520MXR1	520EXR1	520SSR	520RDG	525RDG	530RDG	520XTG	520RTG1	525RTG1	530RTG1
98										125,20		
100					71,80		96,10				147,20	
102					73,10			104,30		130,20		
104	32,00				74,50				102,80			
106					75,80	86,90	101,70	108,20	104,70	135,10		175,70
108			74,70	101,40	77,20		103,50	110,20	106,60		158,80	179,00
110	33,70		76,00	103,20	78,50	90,10	105,40	112,20	108,50	140,10	161,70	182,20
112	34,20		77,40	105,00	79,90	91,70	107,20	114,10	110,40	142,50	164,60	185,50
114			78,70	106,80	81,20	93,20	109,10	116,10	112,30	145,00	167,40	188,70
116	35,30		80,00	108,60	82,60	94,80	110,90	118,10	114,20	147,50	170,30	192,00
118	35,90	47,40	81,30	110,40	83,90	96,40	112,80	120,10	116,10	150,00	173,20	195,30
120	36,40	48,10	82,70	112,30	85,30	98,00	114,60	122,00	118,00	152,40	176,10	198,50
122		48,80						124,00				201,80
124	37,50	49,60					118,30				181,90	
126	38,10	50,30										
128		51,00										
130	39,20	51,80										
132		52,50										
134		53,20										
136		54,00										
140	41,90	55,40										
142		56,20										
1 mt.	23,50	31,00	41,00	57,10	44,10	51,20	59,10	62,70	60,10	79,70	91,10	103,70
Clip link	2,00	2,40	3,30	5,40	4,50	5,10	5,10	5,30	5,40	7,30	5,60	5,80


RDG

ENGLISH


TYPE	ONROAD CHAIN
SERIES	RDG
DESCRIPTION	RDG series (RDG = Road Dual Guard)
PART NUMBER	SS520RDG-XXXN 520 pitch - SS525RDG-XXXN 525 pitch - SS530RDG-XXXN 530 pitch
TECHNICAL FEATURES AND BENEFITS	The heavy duty street line of sealed chains is our RDG series (RDG = Road Dual Guard) for 520, 525 and 530 applications. Sunstar's DualGuard sealed ring is similar in 'X-shaped' rings as it utilizes 2 sealing lips and lubrication pools per side of the ring versus the one sided, single lip design of a standard o-ring. This dramatically improves lubricity in high heat conditions while also helping achieve less friction. The RDG is a great all around use road chain available for just about every application on the street. It comes in the natural colour option and uses a strong rivet type connecting link.
O-RING	DUAL GUARD
ACCESSORIES	P-DRIVE front sprocket, STEEL, TRIPLESTAR rear sprockets
COMPARE	

Chain Model	Length Options	Ring Type	Link Type	Max CC Street / Offroad	Weight 100L (LBS)	Weight 100L (KG)	Pin Length (mm)	Inner Plate Thick-ness	Outer Plate Thick-ness	Maximum Tensile Strength (lbs)	Maximum tensile strength (N)
420MXR	104 - 140	None	Clip	150 / 150	1.76	0.79	15,70	1.80	1.45	4,980	22,152
428MXR	118 - 142	None	Clip	50 / 150	2.13	0.97	17,60	1.80	1.80	5,780	25,710
520MXR1	108 - 120	None	Clip	NA / 500	2.99	1.36	17,70	1.80	2.00	8,970	39,900
520EXR1	108 - 120	Dual Guard	Rivet	NA / 450	3.23	1.46	18,35	2.00	2.00	8.390	37,300
520SSR	100 - 120	O-ring	Clip	400 / 400	3.36	1.52	19,90	2.00	2.00	7,670	34,117
520RDG	106 - 120	DualGuard	Rivet	750 / 750	3.39	1.54	19,90	2.00	2.00	8,490	37,765
525RDG	100 - 124	DualGuard	Rivet	900 / 750	4.30	1.95	22,85	2.40	2.30	8,820	39,233
530RDG	102 - 122	DualGuard	Rivet	1000 / 750	4.47	2.03	24,90	2.40	2.30	9,480	42,169
520XTG	104 - 120	TripleGuard	Clip	400 / 750	3.75	1.70	20,80	2.00	2.00	8,460	37,631
520RTG1	98 - 120	TripleGuard	Rivet	1000 / 750	3.75	1.70	20,80	2.20	2.20	8,800	39,144
525RTG1	100 - 124	TripleGuard	Rivet	1000 / 750	4.30	1.95	22,85	2.40	2.30	9,300	41,368
530RTG1	106 - 120	TripleGuard	Rivet	1400 / 900	4.63	2.10	24,90	2.40	2.40	9,900	44,037


DISTINCTIVE FEATURES OF SUNSTAR CHAIN




DIFFERENT TYPES OF OUR SUNSTAR-SEAL LINE UP




Standard sealed chain SSR



Dual contact sealed chain EXR1



Dual contact sealed chain RDG



Triple contact sealed chain XTG - RTG1

RDG

Link	Chains price list											
	420MXR	428MXR	520MXR1	520EXR1	520SSR	520RDG	525RDG	530RDG	520XTG	520RTG1	525RTG1	530RTG1
98										125,20		
100					71,80		96,10				147,20	
102					73,10			104,30		130,20		
104	32,00				74,50				102,80			
106					75,80	86,90	101,70	108,20	104,70	135,10		175,70
108			74,70	101,40	77,20		103,50	110,20	106,60		158,80	179,00
110	33,70		76,00	103,20	78,50	90,10	105,40	112,20	108,50	140,10	161,70	182,20
112	34,20		77,40	105,00	79,90	91,70	107,20	114,10	110,40	142,50	164,60	185,50
114			78,70	106,80	81,20	93,20	109,10	116,10	112,30	145,00	167,40	188,70
116	35,30		80,00	108,60	82,60	94,80	110,90	118,10	114,20	147,50	170,30	192,00
118	35,90	47,40	81,30	110,40	83,90	96,40	112,80	120,10	116,10	150,00	173,20	195,30
120	36,40	48,10	82,70	112,30	85,30	98,00	114,60	122,00	118,00	152,40	176,10	198,50
122		48,80						124,00				201,80
124	37,50	49,60					118,30				181,90	
126	38,10	50,30										
128		51,00										
130	39,20	51,80										
132		52,50										
134		53,20										
136		54,00										
140	41,90	55,40										
142		56,20										
1 mt.	23,50	31,00	41,00	57,10	44,10	51,20	59,10	62,70	60,10	79,70	91,10	103,70
Clip link	2,00	2,40	3,30	5,40	4,50	5,10	5,10	5,30	5,40	7,30	5,60	5,80